

Work Order ID 69669

Monday, May 16, 2011 9:26:58 AM



Page 1

Item ID: D3552-19

Accept



Setup Start



Revision ID:

Item Name: Door Prop

Stop



Start Date: 5/16/2011 Start Qty: 12.00



Cust Item ID:

Required Date: 5/20/2011 Req'd Qty: 12.00



Customer:

Reference:

Approvals: Process Plan: CL Date: 11/05/16 Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start



Stop



Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3552	G								
100	PURCHASING	0.00							
	Purchasing								
Purchasing	Memo	0.00							
	Issue P/O: <u>14069</u>								
	Purchase Part Number: B8-154-387-060N								
	Supplier: LS Technologies								
	Certificate of conformity is required								
110	Receive & Inspect for Damage & Mat'l Certs	0.00							
	Packaging								
Packaging	Memo	0.00							
	Ensure certificate of conformity is attached								
120	QC6- Inspect dimensions to drawing	0.00							
	QC								
Quality Control	Memo	0.00							
	Test for correct pressure								

CL 11/05/16 (12)

Pur/po/18 (12)

(12)

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____






NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			



• **NOTE:** Date & initial all entries



Work Order ID 69669



Page 2

Monday, May 16, 2011 9:26:58 AM

Item ID: D3552-19 Accept  Setup Start 
Revision ID: Stop 
Item Name: Door Prop
Start Date: 5/16/2011 Start Qty: 12.00  Cust Item ID:
Required Date: 5/20/2011 Req'd Qty: 12.00  Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start 
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop 

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130  Packaging	Identify as per dwg & Stock Location: <u>272</u>	0.00							
Packaging	Memo	0.00							
140  QC	QC21 - Final Inspection - Work Order Release	0.00							
Quality Control	Memo	0.00							

11/5/25 
11/5/26 
CMF
11-05-25

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date				

• NOTE: Date & initial all entries

Picklist Print

Monday, May 16, 2011 9:26:56 AM

Page 1

Work Order ID: 69669



Parent Item: D3552-19



Parent Item Name: Door Prop

Start Date: 5/16/2011


Required Date: 5/20/2011

Start Qty: 12.00

Required Qty: 12.00

Comments: IPP Rev:A 10.09.24 new issue DD Verf:EC
10.12.03 as per dwg rev.G DD verf:EC

IPP Rev:D

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
B8-154-387-060N  Gas Spring		Purchased	No			110	Each	0.0000	1	12		5/16/11	(12)

W/O:		WORK ORDER CHANGES						
DATE	STEP	PROCEDURE CHANGE		By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
DATE	STEP	Description of NC Section A	Corrective Action		Section B		Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng		Sign & Date			

NOTE: Date & initial all entries

SPECIFICATION CONTROL DRAWING



DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER	ALTERNATE SUPPLIER	ALTERNATE SUPPLIER P/N OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N	N/A	N/A
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N	N/A	N/A
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N	N/A	N/A
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N	N/A	N/A
D3552-9	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N	N/A	N/A
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N	N/A	N/A
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-140N	N/A	N/A
D3552-15	DOOR PROP	139/5.47	386/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300N	SUSPA, Inc.	16-2-210-139-A101-B101-400N
D3552-17	DOOR PROP	139/5.47	386/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156N	SUSPA, Inc.	16-2-210-160-A101-B101-156N
D3552-19	DOOR PROP	139/5.47	386/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060N	SUSPA, Inc.	16-2-210-139-A101-B101-060N
D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9	N/A	N/A
D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10	N/A	N/A

D3552-X DOOR PROP

G	FOR -15, FORCE-300/67.4 WAS 400/89.0, SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N, FOR -17, STROKE: 139/5.47 WAS 160/6.30, EXT LG: 386/15.2 WAS 407/16.0, SUPPLIER P/N B8-154-387-156N WAS B8-167-408-156N	JPH	10.11.01
F	ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER	JPH	10.07.27
E	ADD P/N D3552-13 ZN B8-1, A8-1, D6-1, CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG	HS	10.02.03
D	ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1	HS	09.04.02
C	ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7	LE	07.06.01
B	ADD D3552-7/-9; UPDATE DESC. D3552-1/-3/-5	LE	06.10.24
A	NEW ISSUE	LE	06.09.15
REV.	DESCRIPTION	BY	DATE
DESIGN	JPH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	[Signature]	DRAWING NO.	REV. G
MFG. APPR.	N/A	D3552	SHEET 1 OF 1
APPROVED	[Signature]	TITLE	SCALE
DE APPR.	[Signature]	DOOR PROP	NTS
DATE	10.11.01	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCIAL TIED TO ANY OTHER PERSON OR WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

NOTES:

- 1) IDENTIFICATION: IDENT P/N D3552-X & B/N PER QSI 044 6.2
- 2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
- 3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/-17/-19 DOOR PROPS

CL 11105116
W10: 69669



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO14069

Purchase Order Date 5/11/2011

PO Print Date 5/16/2011

Page Number 2 of 2

Order From :

VC-LST0001

LS TECHNOLOGIES INC.
303-103 STREET
SASKATOON, SK S7N 1Y9
CA

Contact Name

Vendor Phone 306 683 5000

Vendor Fax 306 683 6403

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr 10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

5	B8-154-387-060N	Gas Spring	5/20/2011	12.00	FedEx PI collect	\$26.5000	\$318.00
			Yes	Each			

Special Inst: AS PER DWG D3552 REV. G
B69669

PO Total:


\$2,295.94

CERTIFICATE OF CONFORMITY
REQ'D UPON DELIVERY

Change Nbr: 2

Change Date: 5/16/2011

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable



LS Technologies Canada Inc.

303 - 103 Street
Saskatoon, SK Canada
S7N 1Y9

Packing Slip


Date	Invoice #
5/16/2011	7288

Name / Address
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship To
Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

P.O. No.	Ship	Via	FOB	Project
14069	5/16/2011	Fed-Ex		

Qty	Description
12	BS104 - 10mm Ball Stud Zinc 5/16-18 Thd .75" Lg with Locknut
20	D2807 Stainless Gas Spring (6/15-164/50-115N)
10	B6-220-530-140N Gas Spring
12	B8-154-387-156N Gas Spring
12	B8-154-387-60N Gas Spring
	Shipping Via FED EX Tracking # 797101196445





303 - 103rd Street, Saskatoon, Saskatchewan, Canada S7N 1Y9
Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Compliance

This is to certify that the parts listed below meets specifications as required by your order.

12 Units : BS104 .39 DIA BALL STUD ZINC PLATED
5/16-18 THREAD .75 LENGTH W/Locknut

20 Units: D2807 Stainless Gas Spring (6/15-164/50-115N)

10 Units: B6-220-530-140N Carbon Steel Gas Spring

12 Units: B8-154-387-156N Carbon Steel Gas Spring

12 Units: B8-154-387-060N Carbon Steel Gas Spring

8 W/05/24

Country of Manufacture: Canada

Date of Manufacture : May 2011

This product is ROHS compliant.

We certify no mercury was used in the manufacture of this order.

Purchase Order # 14069

Invoice # 7288

L S Technologies Inc Canada

Nolan Fehr
Manager